

CIVIL ENGINEERING

Soil Mechanics and Foundation Engineering



Comprehensive Theory
with Solved Examples and Practice Questions





MADE EASY Publications Pvt. Ltd.

Corporate Office: 44-A/4, Kalu Sarai (Near Hauz Khas Metro Station), New Delhi-110016 | **Ph. :** 9021300500

Email : infomep@madeeasy.in | **Web :** www.madeeasypublications.org

Soil Mechanics and Foundation Engineering

Copyright © by MADE EASY Publications Pvt. Ltd.

All rights are reserved. No part of this publication may be reproduced, stored in or introduced into a retrieval system, or transmitted in any form or by any means (electronic, mechanical, photo-copying, recording or otherwise), without the prior written permission of the above mentioned publisher of this book.



MADE EASY Publications Pvt. Ltd. has taken due care in collecting the data and providing the solutions, before publishing this book. In spite of this, if any inaccuracy or printing error occurs then **MADE EASY Publications Pvt. Ltd.** owes no responsibility. We will be grateful if you could point out any such error. Your suggestions will be appreciated.

EDITIONS

First Edition : 2015
Second Edition : 2016
Third Edition : 2017
Fourth Edition : 2018
Fifth Edition : 2019
Sixth Edition : 2020
Seventh Edition : 2021
Eighth Edition : 2022
Ninth Edition : 2023
Tenth Edition : 2024
Eleventh Edition : 2025
Twelfth Edition : 2026

CONTENTS

Soil Mechanics and Foundation Engineering

CHAPTER 1

Origin of Soil and its Formation 1-7

1.1	Introduction	1
1.2	Origin of Soil.....	1
1.3	Soil Deposits in India.....	4
1.4	Organic and Inorganic Soils.....	5
1.5	Common Types of Soils	6
	<i>Objective Brain Teasers</i>	7

CHAPTER 2

Properties of Soils8-71

2.1	Introduction	8
2.2	Phase Diagram.....	8
2.3	Basic Definitions.....	9
2.4	Some Important Relationships.....	14
2.5	Methods for Determination of Water Content.....	24
2.6	Determination of Specific Gravity of Soil Solids.....	27
2.7	Determination of In-Situ Unit Weight	29
2.8	Index Properties of Soils.....	33
2.9	Grain Size Analysis.....	34
2.10	Consistency of Clays (Atterberg's Limits)	43
2.11	Relative Density (I_D or RD).....	56
2.12	Sensitivity (S_t).....	59
2.13	Thixotropy	60
2.14	Activity (A_c)	60
2.15	Collapsibility.....	61
2.16	Relationship between Atterberg Limits and Engineering Properties.....	62
	<i>Objective Brain Teasers</i>	64
	<i>Conventional Brain Teasers</i>	69

CHAPTER 3

Identification & Classification of Soils..... 72-84

3.1	Introduction	72
3.2	Field Identification of Soils.....	72
3.3	Engineering Classification of Soils.....	73
3.4	Classification of Coarse Grained Soil	76
3.5	Classification of Fine Grained Soil.....	79
	<i>Objective Brain Teasers</i>	83

CHAPTER 4

Soil Structure and Clay Minerals 85-92

4.1	Introduction	85
4.2	Soil Structure.....	85
4.3	Clay Minerals	85
4.4	Structure of Clay Minerals	86
4.5	Isomorphous Substitution	87
4.6	Types of Clay Minerals	87
4.7	Clay Water Relationship.....	88
4.8	Clay Particle Interaction	89
4.9	Soil Structure.....	90
4.10	Types of Soil Structures	90
	<i>Objective Brain Teasers</i>	92

CHAPTER 5

Soil Compaction93-115

5.1	Introduction	93
5.2	Principles of Compaction	93
5.3	Difference between Compaction and Consolidation.....	94
5.4	Advantages of Compaction	94

5.5	Laboratory Compaction.....	94
5.6	Comparison of Standard and Modified Proctor Test....	96
5.7	Zero Air Void Line	98
5.8	Constant Percentage Air Void Lines.....	99
5.9	Factors Affecting Compaction	101
5.10	Compaction Behaviour of Sand	103
5.11	Effect of Compaction on Properties of Soils	104
5.12	Field Compaction and Equipment	106
5.13	Evaluation of Compaction.....	106
5.14	Compaction Quality Control	107
5.15	Settlement During Compaction.....	108
	<i>Objective Brain Teasers</i>	111
	<i>Conventional Brain Teasers</i>	114

CHAPTER 6

Principle of Effective Stress, Capillarity and Permeability..... 116-165

6.1	Introduction	116
6.2	Total Stress, Pore Pressure and Effective Stress.....	116
6.3	Physical Significance of Effective Stresses	118
6.4	Effective Stress in Partially Saturated Soils	119
6.5	Capillarity in Soils	120
6.6	Geostatic Stresses in Soils.....	124
6.7	Effect of Water Table Fluctuations on Effective Stress..	132
6.8	Permeability of Soils	134
6.9	Determination of Coefficient of Permeability	138
6.10	Factors Affecting Permeability.....	152
6.11	Coefficient of Absolute Permeability.....	154
6.12	Permeability of Stratified Soils.....	155
	<i>Objective Brain Teasers</i>	158
	<i>Conventional Brain Teasers</i>	164

CHAPTER 7

Seepage Through Soils..... 166-197

7.1	Introduction	166
7.2	Types of Head	166

7.3	Total Head	167
7.4	Seepage Pressure	167
7.5	Effects of Seepage Force on Effective Stress	168
7.6	Quick Sand Condition	173
7.7	Laplace Equations	179
7.8	Flow Nets	179
7.9	Application of Flow Nets.....	180
7.10	Flow Through Non-Homogeneous Section.....	184
7.11	Piping Failure and its Protection	185
7.12	Seepage Through Earthen Dams.....	186
	<i>Objective Brain Teasers</i>	192
	<i>Conventional Brain Teasers</i>	195

CHAPTER 8

Stress Distribution in Soils 198-222

8.1	Introduction	198
8.2	Boussinesq's Theory.....	198
8.3	Vertical Stress Distribution Diagrams.....	201
8.4	Westergaard's Theory.....	203
8.5	Comparison between Boussinesq and Westergaard Theories	205
8.6	Vertical Stresses beneath the loaded areas	206
8.7	Approximate Methods for Vertical Stress Computation	214
	<i>Objective Brain Teasers</i>	218
	<i>Conventional Brain Teasers</i>	220

CHAPTER 9

Compressibility and Consolidation of Soil.....223-271

9.1	Introduction	223
9.2	Compressibility.....	223
9.3	Initial Settlement	224
9.4	Consolidation.....	224
9.5	Normally and Over Consolidated Soils.....	225
9.6	Compression Test.....	226

9.7	Determination of Compressibility Parameters	230
9.8	Preconsolidation Pressure	233
9.9	Field Consolidation Curve	234
9.10	Graph between Void Ratio and Effective Stress	235
9.11	Time Rate of Consolidation [Mechanics of Consolidation]	236
9.12	Terzaghi's Theory of One Dimensional Consolidation....	237
9.13	Compression Ratios	241
9.14	Settlement Analysis	242
9.15	Vertical Sand Drains.....	260
	<i>Objective Brain Teasers</i>	261
	<i>Conventional Brain Teasers</i>	267

CHAPTER 10

Shear Strength of Soils.....272-315

10.1	Introduction	272
10.2	Shear Strength of Soil	272
10.3	Mohr failure criterion	275
10.4	Factors Affecting Shear Strength.....	280
10.5	Measurement of Shear Strength.....	281
10.6	Direct Shear Test	281
10.7	Triaxial Test.....	285
10.8	Unconfined Compression Test.....	299
10.9	Vane Shear Test	301
10.10	Pore Pressure Parameters	303
10.11	Stress Path.....	305
10.12	Liquefaction of Soil.....	306
	<i>Objective Brain Teasers</i>	306
	<i>Conventional Brain Teasers</i>	311

CHAPTER 11

Earth Pressure and Retaining Walls316-373

11.1	Introduction	316
11.2	Retaining Structures.....	316
11.3	Types of Lateral Earth Pressure.....	318
11.4	Earth Pressure at Rest	319

11.5	Active and Passive Earth Pressure	322
11.6	Rankine's Theory:.....	324
11.7	Various Cases of Earth Pressure in Cohesionless Soil	326
11.8	Active and Passive Earth Pressure in Cohesive Soils	343
11.9	Coulomb's Wedge Theory.....	351
11.10	Sheet Pile Walls.....	353
11.11	Anchored Bulkhead.....	359
	<i>Objective Brain Teasers</i>	363
	<i>Conventional Brain Teasers</i>	367

CHAPTER 12

Stability of Slopes.....374-396

12.1	Introduction	374
12.2	Types of Slopes.....	374
12.3	Stability of Infinite Slopes.....	375
12.4	Definitions of Factor of Safety	381
12.5	Stability of Finite Slopes.....	383
12.6	Total Stress Analysis for a Purely Cohesive Soil.....	384
12.7	Swedish Method of Slices.....	386
12.8	Friction Circle Method	386
12.9	Effective Stress Analysis	388
12.10	Effective Stress Analysis by Bishop's Method	390
12.11	Taylor's Stability Number Method.....	390
	<i>Objective Brain Teasers</i>	392
	<i>Conventional Brain Teasers</i>	395

CHAPTER 13

Soil Exploration397-409

13.1	Introduction	397
13.2	Purpose of Soil Exploration.....	397
13.3	Stage in Sub-surface Exploration	397
13.4	Methods of Exploration	398
13.5	Types of Soil Samples.....	402
13.6	Soil Samplers.....	403

13.7	Disturbance of Soil Samplers	404
13.8	Number and Disposition of Trial Pits and Borings....	407
	<i>Objective Brain Teasers</i>	408

CHAPTER 14

Soil Improvement..... 410-420

14.1	Introduction	410
14.2	Improvement Techniques	410
14.3	Reinforced Earth	413
14.4	Geotextiles : Definition and Types.....	415
14.5	Functions of Geotextiles	417
	<i>Objective Brain Teasers</i>	419

CHAPTER 15

Bearing Capacity and Shallow Foundation..... 421-471

15.1	Introduction	421
15.2	Types of Foundation.....	421
15.3	Selection of foundation	423
15.4	Bearing Capacity.....	425
15.5	Important Definitions	426
15.6	Mode of Shear Failure.....	427
15.7	Methods to Determine Bearing Capacity	429
15.8	Analytical Methods.....	429
15.9	Terzaghi's Method.....	432
15.10	Skempton's Method	447
15.11	Meyerhoff's Method.....	449

15.12	Plate load test	453
15.13	Standard Penetration Test.....	456
15.14	Cone penetration test.....	462
15.15	Settlement of Shallow Foundations	463
15.16	Heave of the Bottom of the Cut in Clay.....	464
	<i>Objective Brain Teasers</i>	465
	<i>Conventional Brain Teasers</i>	470

CHAPTER 16

Deep Foundation..... 472-515

16.1	Introduction	472
16.2	Floating Foundation.....	474
16.3	Classification of Piles	474
16.4	Bearing Capacity of Pile	477
16.5	Static Method for Ultimate Bearing Capacity of Piles.....	479
16.6	Dynamic Method.....	485
16.7	Under-reamed Piles.....	488
16.8	Group Action of Piles	490
16.9	Negative Skin Friction.....	500
16.10	Design of Pile Group.....	503
16.11	PILE Load Tests on Pile.....	504
16.12	Cyclic Load Test	505
16.13	Correlations with Penetration Test Data	506
	<i>Objective Brain Teasers</i>	507
	<i>Conventional Brain Teasers</i>	513

Origin of Soil and its Formation

1.1 INTRODUCTION

The term 'soil', is generally used for upper layer of the earth surface which can support plants. However for engineering purposes, soil is defined as the uncemented aggregate of mineral grains and decayed organic matter (solid particles) with liquid and gas in the empty spaces between the solid particles.

Soil is an unconsolidated material that has resulted from the disintegration of rocks by various weathering agencies like water, air etc. The soil may contain inorganic or organic matter and can be represented as a three phase system containing solids, water and air. Soil is used as a construction material in various civil engineering projects and it supports structural foundations.

1.1.1 Soil Mechanics Vs Soil Engineering Vs Geotechnical Engineering

Soil mechanics is the branch of science that deals with the study of physical properties of soil and the behaviour of soil masses subjected to various types of forces. The term 'Soil Mechanics' was given by Dr. Karl Terzaghi in 1925, who is also known as the Father of Soil Mechanics. According to Terzaghi, "Soil mechanics is the branch of civil engineering that is concerned with the application of the principles of mechanics, hydraulics and chemistry to engineering problems dealing with sediments and other unconsolidated accumulations of solid particles produced by the weathering of rocks, that may or may not contain admixtures of organic constituents."

Soil Engineering is the application of principles of soil mechanics to practical purposes. It is a broader term including soil mechanics, geology, structural engineering and soil dynamics which are essential to obtain practical solution to problems related to the soil. It includes site investigation, lab testing, design, construction and maintenance of foundations and earth retaining structures.

Geotechnical Engineering is the sub-discipline of civil engineering that involves natural materials found closer to the surface of the earth. It includes the application of the principles of soil mechanics and rock mechanics to the design of foundations, retaining structures and earth structures. Geotechnical Engineering is a broader term which includes soil mechanics, rock mechanics, rock engineering, geology and soil engineering.

1.2 ORIGIN OF SOIL

Almost all the soils are formed by the disintegration of rocks either through physical disintegration or chemical decomposition. If weathered sediments remain over parent rock, then soil is called 'Residual soil' and if weathered sediments are transported and deposited at some other place, then soil is called 'Transported soil'. Residual soils have better engineering properties.

The process of soil formation is called 'Pedogenesis'. The soil formation is cyclic which is called 'Geological cycle'.




Fig. Geological cycle (suggested by Bowles, 1984)

The stages in the geological cycle of soil formation in transported soil are as follows:

- (1) Weathering
- (2) Transportation
- (3) Deposition of weathered materials
- (4) Upheaval




Fig. Stages of Geological Cycle in case of transported soil

1.2.1 Weathering Stage

Rock disintegration, also called weathering, is one of the important geological process. Weathering may be physical (mechanical) or chemical.

- (a) **Physical Weathering:** In Physical weathering, rock disintegrates into smaller fragments due to various agencies like running water, heavy wind, temperature changes, rainfall and human activities. Physical weathering can also be caused by alternate freezing and thawing of water in cracks of the rocks. Generally, sand and gravel fall in this category.

The mineral constituents remains same as that of parent rock, if soil is formed as a result of physical weathering.

(b) Chemical Weathering: Fragmented rock materials obtained by physical weathering sometimes changes their mineral composition and new compounds are formed. This phenomenon is referred as 'Chemical Weathering'.

Chemical weathering is caused mainly by oxidation, hydration, carbonation, leaching water and organic acids. Generally, clays and to some extent silts fall in this category.

1.2.2 Transportation and Deposition

The fragmented rock material obtained by weathering may be transported by agents like running water (i.e. rivers), moving ice (i.e. glaciers), blowing wind and gravity to new locations. The weathered fragmented materials transported and deposited at some other place are called 'Transported soil'.

On the basis of transporting agency, soil may be classified as:

(a) Water transported soil: These sedimentary deposits are of three types:

- (i) Alluvial deposit
- (ii) Lacustrine deposit
- (iii) Marine deposit

(i) Alluvial deposit (Alternate Layer of Sand + Silt + Clay): Swift running water carry a large quantity of soil either in suspension or by rolling and sliding along the bottom of stream. When decrease in water velocity occurs, these sediments get deposited from suspension in running water. This type of soil is called 'Alluvial soil'.

Some of the examples of alluvial soil deposit are Alluvial cones, Natural levees and Delta.




Fig. Alluvial deposit

(ii) Lacustrine deposit: Soil carried by river, while entering a lake, deposits all the coarse particles because of a sudden decrease in velocity but the fine grained particles moves to the centre of the lake and settles when the water becomes still. Alternate layers are formed with season, and such lake deposits are called 'Lacustrine deposit'.

(iii) Marine Soil: These are soils that have been formed by sedimentation of soil particles in the deep sea water. The marine deposits have very low shearing strength and are highly compressible. They contain a large amount of organic matter. The marine clays are soft and highly plastic.

(b) Wind Transported Soil: Like water, wind can erode, transport and deposit fine grain soils. The soils that have been transported and deposited by wind are called 'Aeolian deposits'. Dunes are formed due to accumulation of such wind deposited sand.

Loess: Loess is a silt deposit made by wind. These deposits have low density, slight cementation, high compressibility and poor bearing capacity in wet condition.

- (c) **Glacial Deposits:** Glaciers are large masses of ice formed by the compaction of snow. A glacier moves extremely slow but deforms and scour the surface and the bedrock over which it passes. Melting of a glacier cause deposition of all the materials and such a deposit is referred to as till. Drift is a general term used for the deposits made by glaciers directly or indirectly.

The particles found in glacial deposits are generally angular, in contrast to the more rounded particles associated with typical waterborne deposits.




Fig. Glacier Deposited Soil

- (d) **Gravity Deposits:** Gravity can transport materials for short distance. Gravity deposits are termed as Colluvial soil or Talus. These soils are found in mountain valley where these were transported from higher elevation by gravity forces. On sloppy mountain, due to moisture variation, sediments start creeping down. Also, due to swelling and shrinkage, land slide may occur which may result into deposits in the valley. These soil consists of irregular particles of varying size.
- (e) **Swamp and Marsh Deposits:** In water stagnated areas where the water table is fluctuating and vegetation growth is possible, swamp and marsh deposits develop. These soils are soft, high in organic content and unpleasant in odour. Accumulation of partially or fully decomposed aquatic plants in swamps or marshes is termed 'muck or peat'. Muck soil is light in weight, highly compressible, so this is not suitable for construction purpose.
- (f) **Soil transported by combined action:** Sometimes, more than one transportation agencies act jointly and transport the soil. For example, soil may fall under gravity which may be further carried by wind to a far off place. This soil might be picked up by flowing water and deposited at some other place.

1.3 SOIL DEPOSITS IN INDIA

In India, soil has been divided into five major groups

- Alluvial deposits
- Laterite soil
- Marine Deposits
- Black cotton soil
- Desert soil




Fig. Soil map of India

1.4 ORGANIC AND INORGANIC SOILS

Soils can also be classified as organic or inorganic soil.

- Organic soils are formed by growth and subsequent decomposition of plant. For example, Peat and Mosses.
- In general, organic soil is that transported soil obtained from rock weathering which contains decomposed vegetable matter.
- Inorganic soil refer to ordinary soil obtained from rock disintegration due to weathering.

1.5 COMMON TYPES OF SOILS

- **Loess:** This is wind blown uniformly graded fine soil. Loess soil is having a particle size of 0.01 – 0.05 mm. These soils are slightly cementitious due to the presence of deposits of calcium carbonate, derived from decayed vegetative matter. When wet, it becomes soft and compressible because cementing action is lost. These are found in Rajasthan and North Gujarat.
- **Caliche:** It is cemented soil rich in calcium carbonate consisting of gravel, sand and clays. These are also wind blown in semi-arid climate and later on cemented by the calcium carbonate left out from the evaporation of capillary water.
- **Loam:** It is a mixture of sand, silt and clay in definite proportion which in some cases may consist of organic matter.
- **Cumulose:** Peaty (organic) soils are also called cumulose soil or muck. These are formed due to accumulation of organic content under waterlogged condition. It is generally found in the areas having deficient sewerage facilities or found after overflowing of the rivers.
- **Gumbo:** These are highly sticky, plastic and dark coloured soil.
- **Marl:** These are fine grained calcium carbonated soil of marine origin. These are formed due to decomposition of cell mass and bones of aquatic life.
- **Humus:** This soil is a mixture of mud and dead plants. The tiny pieces of rock and humus join to make various soils.
- **Peat:** It is a highly organic soil containing almost decomposed vegetable matter.
- **Gravel:** Gravel is a type of coarse grain soil having particle size in the range of 4.75 mm to 80 mm. It is a cohesionless material.
- **Sand:** They are cohesionless aggregates of rounded, sub angular or angular sediment in the range of 0.075 mm to 4.75 mm.
- **Silt:** It is a fine-grained soil, with particle size between 0.002 mm and 0.075 mm. Silt can be inorganic or organic. Inorganic silt consists of equidimensional grains of quartz, having no plasticity and is cohesionless. Whereas, organic silt is plastic and is cohesive.
- **Clay:** It is an aggregate of mineral particles of microscopic and submicroscopic range. Clay may be organic or inorganic. The particle size is less than 0.002 mm.
- **Cobbles:** Cobbles are large size particles in the range of 80 mm to 300 mm.
- **Boulders:** Boulders are rock fragment of large size (more than 300 mm).
- **Tuff:** These are small grained slightly cemented volcanic ash that has been transported by wind or water.
- **Bentonite:** It is a clay formed by chemical weathering of volcanic ash which have high content of montmorillonite. Hence it shows high swelling and shrinkage, high plasticity and low shear strength. Pulverized slurry of bentonite is highly plastic and is often used as a lubricant in drilling.
- **Kaolin (China Clay):** It is a very pure form of white clay, which is extensively used in ceramic industry.
- **Hardpans:** Hardpans are types of soils that offer great resistance to the penetration of drilling tools during soil exploration. These are generally dense, well graded, cohesive aggregates of mineral particles. They do not disintegrate when submerged in water.
- **Varved Clays:** These are sedimentary deposits consisting of alternate thin layers of silt and clay. These clays are the result of deposition in lakes during periods of alternate high and low waters.
- **Till:** It is formed by melting of glaciers and iceberg and may contain mixture of gravel, sand, silt and clay. These soils are well graded.
- **Black Cotton Soil:** It is chemically weathered residual soil formed from basalt. It contains high amount of Montmorillonite (clay mineral), hence it shows high swelling, shrinkage and low shear strength.
- **Laterite Soil:** It is formed due to leaching (washing out of silicious compound and accumulation of aluminium and Iron). It is found in humid areas like Western Ghats, Eastern Ghats and Great North East.



OBJECTIVE BRAIN TEASERS

Q.1 Glaciers are formed by
 (a) Compaction and recrystallization of snow
 (b) Continuous freezing of water
 (c) A sudden drop in temperature below 0°C
 (d) None of above process

Q.2 When the product of rock weathering are not transported as sediment but remain in place, then the soil is known as
 (a) Alluvial soil (b) Glacial soil
 (c) Residual soil (d) Aeolian soil

Q.3 Identify the true statements from the following
 (a) A soil transported by gravitational force is called talus
 (b) Lateritic soil is a category of organic soil
 (c) Water held firmly to the clay particles has the same properties as ordinary water.
 (d) A clay deposit which exhibits no evidence of fissuring is described as intact.

Q.4 Bentonite is a material obtained due to the weathering of
 (a) Lime stone (b) Quartzite
 (c) Volcanic ash (d) Shales

Q.5 Match **List-I** with **List-II** and select the correct answer using the codes given below the lists:

- | List-I | List-II |
|---------------|----------------|
| A. Wind | 1. Lacustrine |
| B. Lake | 2. Loess |
| C. Gravity | 3. Till |
| D. Glacier | 4. Talus |

Codes:
1 2 3 4
 (a) A C B D
 (b) B A D C
 (c) C A C D
 (d) D B A C

Q.6 Match **List-I** (Type of soil) with **List-II** (Mode of transportation and deposition) and select the correct answer using the codes given below the lists:

- List-I**
 A. Residual soil
 B. Loess

- C. Peat
 D. Varved clays

List-II

1. Soil transported by wind
2. Organic soil
3. Deposition in lake during periods of alternate high and low waters
4. Soil left in place after weathering of parent rock

Codes:

	A	B	C	D
(a)	1	2	3	4
(b)	2	3	4	1
(c)	4	1	2	3
(d)	3	2	1	4

Q.7 Assertion (A): Black cotton soils are clay and exhibit characteristic property of swelling.

Reason (R): These clays contain Montmorillonite which attracts external water into its lattice structure.

- (a) Both A and R are true and R is the correct explanation of A
- (b) Both A and R are true but R is not the correct explanation of A
- (c) A is true but R is false
- (d) A is false but R is true

Q.8 Assertion (A): Collapsible soil suddenly decreases in volume when it becomes saturated.

Reason (R): Collapsible soils are mostly aeolin soils, which have high void ratio and a honey combed structure in natural state.

- (a) Both A and R are true and R is the correct explanation of A
- (b) Both A and R are true but R is not the correct explanation of A
- (c) A is true but R is false
- (d) A is false but R is true

ANSWER KEY

1. (a) 2. (c) 3. (a) 4. (c) 5. (b)
 6. (c) 7. (a) 8. (a)

